The KEC PREMIER MATHEMATICS BOOK PRIMARY SIX (TERM III) VOLUME II



LENGTH, MASS AND CAPACITY



PERIMETER OF A PARALLELOGRAM

Perimeter is the distance around a given figure.

- Perimeter is the length of the outline of a shape.
 - Therefore, perimeter of a parallelogram is the distance around it.
- Perimeter of a parallelogram is got by adding all its sides. \Rightarrow

procedure (steps taken)

State the formula for finding the perimeter of a parallelogram *


i.e
$$P = I + b + I + b$$
 OR $P = 2I + 2b$ OR $P = 2(I + b)$ where "P" is perimeter, "I" is the length, "b" is the base.

- Substitute in correctly.
- Compute accurately and the product is the perimeter. *****



EXAMPLE 1

Find the perimeter of the parallelogram below.



|Approach 1|

$$p = l + b + l + b$$

$$p = 14cm + 10cm + 14cm + 10cm$$

$$p = 24cm + 24cm$$
 $\frac{24}{+24}$

$$p = 48cm$$

Approach 11

$$p = 2l + 2b$$

$$p = (2 \times 14cm) + (2 \times 10cm)$$

$$p = 28cm + 20cm$$
 $\frac{28}{+20}$

$$p = 48cm$$

Approach III

$$p = 2(I + b)$$

$$p = 2 (14cm + 10cm)$$

$$p = 2 (24cm)$$


$$p = 24cm$$

$$\times 2$$

$$p = 48cm$$



Find the perimeter of the parallelogram below.



Approach 1

$$p = I + b + I + b$$

$$p = 23.8m + 5m + 23.8m + 5m$$

$$p = 57.6m$$

|Approach 11

$$p = 2l + 2b$$

$$p = (2 \times 23.8m) + (2 \times 5m) \begin{vmatrix} 23.8 \\ \times 2 \\ \hline 47.6 \end{vmatrix}$$

$$p = 47.6m + 10m$$

$$p = 47.6m$$

 $+10.0m$
 $-57.6m$

$$p = 57.6m$$

|Approach III

$$p = 2(I + b)$$

$$p = 2 (23.8m + 5m)$$

$$p = 2 (28.8m)$$

$$P = 28.8m$$

$$\begin{array}{r} x & 2 \\ \hline 57.6m \end{array}$$

$$p = 57.6m$$

Approach IV

$$p = 2(I + b)$$

$$p = 2 (23.8m + 5m)$$

$$p = 2 (28.8m)$$

$$P = 2 \times 28.8 m$$

$$P = 2 \times 288m$$

$$p = \frac{288}{5}m$$

$$p = \underbrace{5}_{288}$$

$$5 \times 5 = -\underbrace{25}_{38}$$

$$7 \times 5 = -\underbrace{35}_{30}$$

$$6 \times 5 = \underbrace{-30}_{--}$$


$$p = 57.6m$$

57.6




TASK 30

Find the perimeter (distance around the following shapes)



1.



THE TRIANGLE

A triangle is a three sided polygon with three (3) angles and an interior angle ***** sum of 180°.

Properties of a triangle.

- A triangle has three sides. *
- A triangle has 3 interior angles. *****
- A triangle has 3 exterior angles.
- A triangle has 3 centre angles. *
- The interior angle sum of a triangle is always 180° . *
- The sum of the length of any two sides of a triangle is greater than the length of the ***** third side.
- In the same way, the difference between the two sides of a triangle is less than the length * of the third side.





Categories of triangles.

Triangles are categorised either by sides or by angles.

The state of the s		
By sides By angles		
EQUILATERAL TRIANGLE * It has three equal sides and angles	ACUTE ANGLED TRIANGLE * Has three angles less than 90°.	
ISOSCELES TRIANGLE * It has two equal sides and angles	RIGHT ANGLED TRIANGLE * Has one of the three angles a right angle (90°)	
SCALEN TRIANGLE * It has no equal sides and angles	OBTUSE ANGLED TRIANGLE * Has one of the angles obtuse (greater than 90° but less than 180°.	

AREA OF A TRIANGLE



Finding the area of a triangle.

Procedure / steps taken

- State the formula for finding area of a triangle i.e Area =
- Substitute in the base and the height correctly.
- Compute accurately and the product obtained is the area.


OR

- Complete the triangle to form a rectangle or a parallelogram.
- State the formula for finding either the area of a rectangle or the area of a parallelogram when applicable and divide it by 2.
- Substitute in correctly and the result obtained is the answer.





Find the area of the triangle below.



Approach 1

Area =
$$\frac{1}{2}$$
 bh


Area =
$$\frac{1}{2}$$
 x $\stackrel{?}{\cancel{4}}$ cm x 3cm

Area =
$$6cm^2$$

Complete the triangle to form either a rectangle or a parallelogram.

Approach 11

RECTANGLE



This is now a rectangle with two equal triangles, we therefore get the area of a rectangle and divide that area by 2 to get the area of one triangle


Area =
$$\frac{L \times W}{2}$$

Area =
$$\frac{2}{4 \text{cm}} \times 3 \text{cm}$$

Area =
$$6cm^2$$

Approach III

PARALLELOGRAM



This is now a parallelogram with two equal triangles, we therefore get the area of a parallelogram and divide that area by 2 to get the area of one triangle


Area =
$$b \times h$$

Area =
$$\frac{2}{4 \text{cm}} \times 3 \text{cm}$$

Area =
$$6cm^2$$



EXAMPLE 2



Approach 1


Area =
$$\frac{1}{2}$$
 bh

Area =
$$\frac{1}{2}$$
 x $\frac{5}{40}$ cm x 6cm

Area =
$$30cm^2$$

Complete the triangle to form a parallelogram.

Approach 11




Area =
$$b \times h$$

Area =
$$\frac{5}{\cancel{10}\text{cm}} \times \cancel{6}\text{cm}$$

Area =
$$30cm^2$$



EXAMPLE 3




Approach 1

Area =
$$\frac{1}{2}$$
 bh

Area =
$$\frac{1}{2}$$
 x $\frac{8}{16}$ cm x 4cm

Area =
$$32cm^2$$

Approach 11




Area =
$$b \times h$$

Area =
$$\frac{8}{16}$$
cm x 4cm

Area =
$$32cm^2$$



EXAMPLE 4



b = 6cm

NB: The height is always perpendicular to the base.


|Approach 1

Area =
$$\frac{1}{2}$$
 bh

Area =
$$\frac{1}{2}$$
 x $\frac{3}{6}$ cm x 8cm

Area =
$$24cm^2$$

Approach 11



Area


= 16cm x 8cm **Area**

3cm x 8cm Area

24cm² Area

b = 4cm + 2cm

b = 6cm



Area

Area

Area 24cm


b = 4cm + 2cm

b = 6cm




TASK 31


Find the area of the triangles below.




2.




|3.



4.





- Substitute in correctly.
- Compute accurately and the value of the unknown is the answer.


OR

- Let the base be "b" and the height be "h".
- State the formula for finding the base i.e $b = \underline{Area \times 2}$ OR $b = \underline{2Area}$ and the height is $h = Area \times 2$ OR h = 2Area.
- Substitute in correctly.
- **→** Compute accurately and the value of the unknown is the answer.



EXAMPLE 1

The area of the triangle below is 24cm². Find its base.



Approach 1

Area =
$$\frac{1}{2}$$
 x b x h
 $\frac{1}{2}$ x b x h = Area
 $\frac{1}{2}$ x b x 6 cm = 24cm²

$$b = 8cm$$

|Approach 11


$$b = \underbrace{\frac{\text{Area } \times 2}{\text{h}}}_{\text{h}}$$

$$b = \underbrace{\frac{24\text{cm}^2 \times 2}{\text{fcm}}}_{\text{3}}$$


$$b = \underbrace{\frac{8}{24\text{cm} \times \text{em}}}_{\text{5cm}}$$

$$b = \underbrace{\frac{8}{24\text{cm} \times \text{em}}}_{\text{1}}$$

Approach III



Approach IV




$$\frac{b \times h}{2} = \text{Area}$$

$$\frac{b \times b \times cm}{3} = 24 \text{cm}^2$$

$$b = 8$$



Find the height of the triangle below if its area is 144cm².



[Approach 1]

$$\frac{1}{2}$$
 x b x h = Area
 $\frac{1}{2}$ $\frac{1}{2}$ x 24cm x h = 144cm²
 $\frac{1}{2}$ $\frac{1}{2}$

$$h = 12cm$$

|Approach 11

$$h = \underbrace{\frac{\text{Area } \times 2}{\text{b}}}_{\text{b}}$$

$$h = \underbrace{\frac{144\text{cm}^2}{\text{24cm}}}_{\text{24cm}}$$

$$h = \frac{12}{144cm} \times \frac{1}{cm}$$

$$-12cm$$


$$h = 12cm$$




TASK 32

Work out the following.


The area of the triangle below is 6cm². Find the value of h.



The area of the triangle below is 2. 210dm². Find its base length.



If the area of the figure below is 96cm², find the length AB. 13.







Comparing the area of the triangles.

In this case, we shall look at two triangles occupying the same area though they have different dimensions.



Finding the unknown side (base or height of one of the two triangles occupying the same area.


procedure (steps taken)

- Equate the area of the two (2) triangles i.e $\frac{1}{2}bh = \frac{1}{2}bh$. \rightarrow
- **→** Substitute in correctly.
- **→** Compute accurately and the value of the unknown is the answer.



EXAMPLE 1

Below is a triangle UVW in which UV = 12cm, WY = 8cm, WV = 24cm. Find the length UX.



Approach 1

Area = Area

$$\frac{1}{2} \text{ bh} = \frac{1}{2} \text{ bh}$$

$$\frac{1}{2} \text{ x } 24\text{cm} \text{ x } \text{UX} = \frac{1}{2} \text{ x } 12\text{cm} \text{ x } 8\text{cm}$$

$$\frac{2}{1} \text{ 12cm x } \text{UX} = 48\text{cm x cm}$$

_12cm x UX = _48cm x_cm -12cm 12cm

UX = 4cm

Approach II

Area of triangle UVW = $\underline{1}$ bh = <u>1</u> x 12cm x 8cm = 48cm²

Area of another triangle = $\frac{1}{2}$ x 24cm x UX in the same area. in the same area.

Comparing the area of the two triangles

Area = Area $1 \times 24 \text{cm} \times \text{UX} = 48 \text{cm}$ $\frac{12em \times UX}{1} = \frac{48cm \times em}{1}$ 12em 12cm UX = 4cm




TASK 33


Work out the following if each figure has two triangles occupying the same area.

Given that in the figure below 1.


> \overline{PQ} = 8cm, RT = 4cm and PS = 2cm, find the length QR.




2. Find the value of x.




Find the value of k.



Find the value of "y" if BC = 100cm, AC = 86cm, BD = 10cm4. and AE = y.



Find the length EB.



PERIMETER OF A TRIANGLE

Perimeter of a triangle is the distance around a triangle.



 \Rightarrow


Finding the perimeter of a triangle

Procedure / steps taken

- State the formular for finding perimeter of a triangle i.e P = S + S + S.
- **→** → → Substitute in the formular correctly.
- Compute accurately and the sum is the perimeter.
- find the sum of all the 3 sides and it is the required perimeter.

EXAMPLE 1

Find the perimeter of the figure below;



10.5cm

[Approach 1]

$$P = S_1 + S_2 + S_3$$

$$P = 10.5cm + 2.3cm + 7.8cm$$

P = 10.5cm

2.3cm

+ 7.8cm 20.6cm

Approach 11

|P| = sum of all sides (add all sides)




P = 20.6cm



EXAMPLE 2

Calculate the perimeter of the triangle below;



Approach 1

$$(20m P = S + S + S)$$

$$P = 20m + 20m + 20m$$

$$P = 60m$$

|Approach 11|

= sum of all sides.

$$P = 20m + 20m + 20m$$

= 60m



Approach III

For an equilateral triangle, we can also say P = 3S


$$P = 3S$$

$$P = 3 \times 20m$$

$$P = 60m$$



Find the perimeter of the triangle given below;



[Approach 1]

$$P = S_1 + S_2 + S_3$$

$$P = 6\frac{1}{2}$$
cm + $8\frac{1}{2}$ cm + 5cm

$$P = \left(6 + 8 + 5 + \frac{1}{2} + \frac{1}{2}\right) cm$$

$$P = 20cm$$

[Approach 11]

= sum of all sides.

$$P = 6\frac{1}{2}cm + 8\frac{1}{2}cm + 5cm$$


$$P = 6 + 8 + 5 + \frac{1}{2} + \frac{1}{2} cm$$

$$P = 20cm$$





TASK 34

Find the perimeter of the triangles below;





2.






4.







Find the perimeter of an equilateral triangle whose side is 10cm.




Finding the unknown side of a triangle given the perimeter.



EXAMPLE 1

The perimeter of the triangle ABC below is 15cm. Find the length.



[Approach 1]

$$S_1 + S_2 + S_3 = P$$

$$BC + 5cm + 4cm = 15cm$$

$$BC + 9cm = 15cm$$

$$BC + 9cm - 9cm = 15cm - 9cm$$

$$BC = 6cm$$

Approach II

$$\overline{BC} = P - (AB + AC)$$


$$\overline{BC} = 15cm - (4cm + 5cm)$$

$$\overline{BC} = 15cm - 9cm$$

$$\overline{BC} = 6cm$$



The distance around the equilateral triangle below is 27cm. Find the value of y. [Approach 11]



$$P = S + S + S$$

$$S + S + S = P$$

$$y + y + y = 27cm$$

$$3y = 27cm$$

$$\frac{3y}{3} = \frac{27cm}{3}$$

$$y = 9cm$$

Approach 1

$$3s = P$$

$$3s = 27cm$$

$$\frac{3s}{2} = \frac{27cm}{2}$$

$$3_1$$
 3_1

$$\dot{s} = 9cm$$



EXAMPLE 3

The perimeter of an equilateral triangle is $7\frac{1}{2}$ m. Find the length of its side.

$$P = S + S + S$$

$$S + S + S = P$$

$$3S = 7\frac{1}{2} \text{ m}$$

$$\frac{\overset{1}{3}S}{\overset{3}{3}} = \frac{7\frac{1}{2}m}{3}$$

$$S = 7\frac{1}{2} \div 3 \text{ m}$$

$$S = \frac{15}{2} \div \frac{3}{1} \text{ m}$$

$$S = \frac{5}{2} \times \frac{1}{3} \text{ m}$$

$$S = \frac{2r1}{5}m$$


$$S = \frac{1}{2} \frac{1}{2} m$$




TASK 35

Work out the following.


Find the length AB in the figure below whose perimeter is 42cm. 1.




The perimeter of the figure below is 45m. Find the value of x.




3. The distance around the figure below is 82dm, find the length AC.




The distance around triangle PQR below is $16\frac{1}{4}$ cm, find the length PR. 4.



Given that the perimeter of the figure below is 46.8dm, find the value 5. of k.




Given that the ratio of BC to AC is 2:3, respectively. Find the length AC if 6. the perimeter of a triangle below is 36cm.



THE SQUARE

A square is a regular quadrilateral that has four equal sides and four equal angles that are right angles (90°) each.

(Illustration of a square)



Properties of a square

- A square has all the four sides are congruent or equal to each other.
- A square has all its four interior angles equal and are right angles (90°) each.
- The opposite sides of a square are parallel to each other.
- The two diagonals of a square are equal.
- The two diagonals of the square bisect each other at a right angle (90°).
- The diagonals of the square divide each interior angles into two equal right angles Isosceles triangles.
- The two diagonals of the square divide it into 4 congruent or equal right angled Isosceles triangles.
- The two interior angles on each side of a square are co-interior angles.
- The square has 4 lines of folding symmetry.
- The square has an interior angle sum of 360° like any other quadrilateral.
- The opposite interior angles of a square are equal.

AREA OF A SQUARE



Finding the area of a square

Procedure / steps taken

- State the formular for finding the area of a square i.e Area = Side x Side $(Area = S \times S).$
 - Substitute in the given side length.




- Cumpute accurately to get the product which is the area.
- Indicate the correct square units. \triangleright



- Divide the square into two right angled triangles.
- Find the area of one of the triangles obtained above.
- Multiply the area of one of the triangles by 2.
- The product obtained is the required area for the square.




Find the area of a square whose side is 4cm;



Area = $S \times S$

 $Area = 4cm \times 4cm$

Area = $16cm^2$



Area =
$$\frac{1}{2}$$
 bh

Area =
$$\frac{1}{2}$$
 x $\frac{4}{3}$ cm x 4cm

Area = $8cm^2$

Area of the square.

8cm² x 2

16cm²

Approach III

Area =
$$\frac{1}{2}$$
 bh


Area =
$$\frac{1}{2}$$
 x 4cm x 4cm x $\frac{1}{2}$

$$\bar{z}_{_{1}}$$

Area =
$$16cm^2$$



Find the area of a square below.



|Approach 1

 $S \times S$ Area

 $= 0.6m \times 0.6m$ Area

Area = <u>6</u>m x <u>6</u>m

Area = $\frac{6 \times 6}{10 \times 10}$ m²

 $=\frac{36}{100}$ m² Area

Area = $0.36m^2$

[Approach 11]


 $= S \times S$ Area

Area $= 0.6m \times 0.6m$



Area = 0.36m

Approach III



Area =
$$\frac{1}{2}$$
 bh

Area =
$$\frac{1}{2}$$
 x 0.6m x 0.6m

Area =
$$\frac{1}{2} \times \frac{3}{10} \times \frac{6}{10} = \frac{1}{10}$$

Area =
$$\frac{18}{100}$$
 m²

Area = 0.18 m^2


Total area of the square.

$$= 0.18 \text{ m}^2$$

$$\frac{\text{x 2}}{0.36\text{m}^2}$$

$$\frac{18}{100} \times 2 \text{ m}^2$$
=\frac{36}{100} \text{m}^2
= 0.36 \text{m}^2

Approach IV



Area =
$$\underline{1}$$
 bh

Area =
$$\frac{1}{2}$$
 x 0.6m x 0.6m x 2


Area =
$$\frac{1}{2} \times \frac{6}{10} \text{ m} \times \frac{6}{10} \text{ m} \times \frac{1}{2}$$

Area =
$$\frac{36}{100}$$
 m²

Area =
$$0.36 \text{ m}^2$$



Mr. Kasumba Jackson, the principal Gombe Junior School has a plot of land shown below.



Approach 1

$$-2\frac{2}{5}$$
m Area = $S \times S$

Area =
$$2\frac{2}{5}$$
m x $2\frac{2}{5}$ m
Area = $\frac{12}{5}$ m x $\frac{12}{5}$ m
Area = $\frac{144}{25}$ m²
Area = $5 \frac{19}{25}$ m²
Area = $5 \frac{19}{25}$ m²


Area =
$$\frac{12}{5}$$
m x $\frac{12}{5}$ m

Area =
$$\frac{144}{25}$$
 m²

Area =
$$\frac{144}{25}$$
 m²

Area =
$$5\frac{19}{25}$$
 m²

Approach 11



Area =
$$\frac{1}{2}$$
 x b x h x 2

Area =
$$\frac{1}{2}$$
 x $2\frac{2}{5}$ m x $2\frac{2}{5}$ m x $\frac{1}{2}$

Area =
$$\frac{12}{5}$$
m x $\frac{12}{5}$ m


Area =
$$5\frac{19}{25}$$
 m²




TASK 36


Find the area of the following squares.

1.



2.






10.	Each side of a square 30cm. Find the area of the square.
11.	Find the area of the figure below.
12.	If each small square of size of the shaded part is 9 square centimetre (9 sq.cm or 9cm²), (a) find the area of the square below.
b)	Find the length of each side of the square.
c)	Find the perimeter of the square.



13.	The figure below shows a square floor covered by square tiles of equa			
	length. If the length of the side of each tile is 15cm.			
	(a) Find the length of each side of the square floor.			



Finding the unknown side of a square given the area Procedure / steps taken

State the formula for finding area of a square i.e Area = S x S OR

Area = S^2 , where "S" is the side.

Interchange the formula i.e from "Area = $S \times S$ " to " $S \times S$ = Area"

→ Substitute in the given area correctly.

Find the square root of both sides.

Compute accurately and the value of S is the answer.

OR

State the formula for finding the unknown side of a square i.e

 $S = \sqrt{Area}$.

Substitute in the given area correctly.

Compute accurately and the value of "S" is the required answer.

OR

- State the formular for finding the area of two equal right angled triangles i.e Area = $\frac{1}{2}$ bh x 2.
- Substitute in the given area correctly, Substitute in "S" for "b" and "S" for "h" **→** This is because the base and the area of the triangle take up the sides of the square.
- Compute accurately and the value of "S" is the required answer. \rightarrow



EXAMPLE 1

The area of a square is 81cm². Find the length of its side.

Approach 1

Area =
$$S \times S$$

$$S \times S = Area$$

$$S^2 = 81 \text{cm}^2$$

$$\sqrt{S^2} = \sqrt{81 \text{cm}^2}$$

$$S = \sqrt{(3 \times 3) \times (3 \times 3)} \text{cm}$$

$$S = (3 \times 3) \text{cm}$$

$$S = 9cm$$

|Approach 11

$$S = \sqrt{Area}$$

$$S = \sqrt{81cm}$$

$$S = \sqrt{(3 \times 3) \times (3 \times 3)}$$
cm

$$S = (3 \times 3) cm$$

$$S = 9cm$$

Approach III

Area =
$$\frac{1}{2}$$
 bh x 2

$$\frac{1}{2}$$
 x b x h = Area

$$\frac{1}{2} \times S \times S \times 2^{2} = 81 \text{cm}^{2}$$

$$S^2 = 81 \text{cm}^2$$

$$\sqrt{S^2} = \sqrt{81 \text{cm}^2}$$

		<u> </u>	ᆫ
	3	27	
	3	9	
	3	3	
1		1	Γ

■ 3 81

$$S = \sqrt{(3x3)x(3x3)}$$

$$S = (3 \times 3) \text{cm}$$



The area of a square garden is $2\frac{7}{9}$ m². Find the length of each side of the garden.

[Approach 1]

Area =
$$S \times S$$

$$S \times S = Area$$

$$S^2 = 2\frac{7}{9}m^2$$

$$S^2 = \frac{25}{9} \text{ m}^2$$

$$\sqrt{S^2} = \sqrt{\frac{25}{9}m^2}$$

$$S^2 = \sqrt{\frac{25}{9}} m^2$$

$$S = \frac{5}{3} m$$

$$S = \underbrace{5}_{1 \text{ rem. 2}}$$

$$S = 1\frac{2}{3}m$$

[Approach 11]

$$r = \sqrt{Area}$$

$$r = \sqrt{2\frac{7}{9} m^2}$$

$$r = \sqrt{\frac{25}{9}m^2}$$

$$r = \sqrt{\frac{27}{9}} m^{2}$$

$$r = \sqrt{\frac{25}{9}} m^{2}$$

$$r = \sqrt{\frac{25}{9}} m^{2}$$

$$r = \sqrt{\frac{25}{9}} m^{2}$$

$$r = 1\frac{2}{3} m$$

$$r = 1\frac{2}{3} m$$

$$r = \frac{5}{3}m$$

$$r = \frac{5}{2}m$$

$$r = 1\frac{2}{3} m$$

Approach III

Area =
$$\frac{1}{2}$$
 bh x 2

$$\frac{1}{2}$$
 bh x 2 = Area

$$\begin{bmatrix} \frac{1}{2} \times S \times S \times \frac{1}{2} = 2\frac{7}{9} \text{ m}^2 \\ \frac{1}{1} \end{bmatrix}$$

$$S^2 = \frac{25}{9} m^2$$

$$\sqrt{S^2} = \sqrt{\frac{25}{9}m^2}$$

$$S^2 = \sqrt{\frac{25}{9}} \text{ m}^2$$

$$S = \frac{5}{3}m$$

$$S = \frac{5}{3}m$$

$$1 \text{ rem. 2}$$

$$S = \frac{5}{3}m$$


$$S = 1\frac{2}{3}m$$



EXAMPLE 3

The area of the square carpet JUMA below is 20.25m². (a) Find the length of JA





Approach 1

$$S \times S = Area$$

$$\sqrt{S^2} = \sqrt{20.25m^2} \qquad \frac{5 |2025|}{5 |405|}$$

$$S = \sqrt{\frac{2025}{100}m^2} \qquad \frac{3 |81|}{3 |27|}$$

$$S = \sqrt{\frac{2025}{100}} \text{ m} \qquad \frac{2 | 100}{2 | 50} \\ \frac{5}{5} | \frac{25}{5} | \frac{5}{1}$$

$$S = \frac{\sqrt{(\cancel{8} \times 5) \times (\cancel{8} \times 3) \times (\cancel{8} \times 3)}}{\sqrt{(\cancel{2} \times 2) \times (\cancel{5} \times 5)}} m$$

$$S = \frac{5 \times 3 \times 3}{2 \times 5} m$$

$$S = \frac{45}{10} m$$

$$S = 4.5m$$

Approach 11

$$S = \sqrt{20.25} m^{2}$$

$$S = \sqrt{\frac{2025}{100}} m^{2}$$

$$\frac{5 | 2025}{5 | 405}}{\frac{3 | 81}{3 | 27}}$$

$$\frac{3 | 9}{3 | 3}$$

$$S = \sqrt{\frac{2025}{100}} m \qquad \frac{2 | 100}{2 | 50} \\ \frac{5}{5} | \frac{25}{5}$$

$$S = \frac{\sqrt{(\cancel{8} \times 5) \times (\cancel{3} \times 3) \times (\cancel{3} \times 3)}}{\sqrt{(\cancel{2} \times 2) \times (\cancel{5} \times 5)}} m$$

$$S = \underbrace{5 \times 3 \times 3}_{2 \times 5}$$

$$S = \frac{45}{10} m$$

$$S = 4.5m$$

Approach III

Area =
$$\frac{1}{2}$$
 bh x 2

$$\frac{1}{2}$$
 bh x 2 = Area

$$S^2 = 20.25m^2$$

$$\sqrt{S^2} = \sqrt{\frac{2025}{100}} \, \text{m}^2$$

$$S = \sqrt{\frac{2025}{100}} m^2$$

$$S = \frac{\sqrt{(\cancel{8} \times 5) \times (\cancel{8} \times 3) \times (\cancel{8} \times 3)}}{\sqrt{(\cancel{2} \times 2) \times (\cancel{5} \times 5)}} m$$

$$S = \frac{5 \times 3 \times 3}{2 \times 5}$$

$$S = \frac{45}{10} m$$

$$S = 4.5m$$





Find the length of the side of a square whose area is y² cm² OR (ycm)²

[Approach 1]

Area =
$$S \times S$$

$$S \times S = Area$$

$$S^2 = y^2 cm^2$$

$$\sqrt{S^2} = \sqrt{y^2 \text{cm}^2}$$

$$S = y cm$$
.

[Approach 11]

S =
$$\sqrt{\text{Area}}$$

$$S = \sqrt{y^2 \text{ cm}^2}$$

$$S = \sqrt{y \times y \cdot \text{em} \times \text{cm}}$$

$$S = y cm$$

Approach III

Area =
$$\frac{1}{2}$$
 bh x 2

$$\frac{1}{2}$$
 bh x 2 = Area

$$\frac{1}{2} \times S \times S \times 2^{2} = y^{2} \text{ cm}^{2}$$

$$S^2 = y^2 \text{ cm}^2$$

$$\sqrt{S^2} = \sqrt{y^2 \text{ cm}^2}$$

$$S = \sqrt{(x \times y) (cm \times cm)}$$

$$S = y cm$$




TASK 37

Find the length of the side of a square whose area is;

1. 25cm² 2. 36m²

 $10\frac{9}{16}$ m² 3.


4. 64dm²



b)	If by the time Wanzu gave the above land to his sons, the cost of each square metre was shs. 1,000, how much money;
i)	Would Wanzu have got had he just sold the above plot of land?
ii)	Would Ibrahim and Ali have paid for their pieces of land altogether had
'''	their father sold the land to them?
10.	The figure ABCD below is a square. If the area of the shaded part is
	3 times the unshaded area, find the the length \overline{BC} .
	$A \longrightarrow B$
	$\bigcup_{\mathbf{D}} \square$



The figure MUSA below is a square. Given that four times the area of the shaded part is equal to aquater the area of the whole figure, find the value of y.



PERIMETER OF A SQUARE

What is perimeter?

Perimeter is the distance around a given figure. Therefore, perimeter of a square is the distance around a square.



Procedure / steps taken

State the formular for finding the perimeter of a square **→**

i.e S + S + S + S OR 4S, where "S" is the side

Substitute the side length correctly.

Compute accurately and the sum for (S + S + S + S) OR the product for (4S) is the perimeter.

OR

→ When given the area, we state the formular for finding the perimeter of a square as "P = $\sqrt{\text{Area}}$ x 4" where "P" is perimeter and "S" is side.

Substitute the side length correctly.

Compute accurately and the sum for (S + S + S + S) OR the product for (4S) is the perimeter.


OR

- When given the area, we use the formular for finding the area of a square to obtain the length of each side.
- Then we use the length of each side to find the perimeter.



EXAMPLE 1

Find the perimeter of the square below.



|Approach |

$$P = S + S + S + S$$

$$P = 4cm + 4cm + 4cm + 4cm$$

$$P = 8cm + 8cm$$

$$P = 16cm$$

Approach 11

$$P = 4S$$

$$P = 4 \times 4cm$$

$$P = 16cm$$



EXAMPLE 2

Find the perimeter of a square whose area is 36cm².

Approach 1

$$P = \sqrt{Area} \times 4$$

$$P = \sqrt{36cm^2} \times 4$$

$$P = 6cm \times 4$$

$$P = 24cm$$

[Approach 11]

$$S \times S = Area$$

$$S^2 = 36cm^2$$

$$\sqrt{S^2} = \sqrt{36cm^2}$$

$$S = 6cm$$

$$P = 4 S$$

$$P = 4 \times 6cm$$


$$P = 24cm$$



A square garden has a side of 8.5m. Find the distance around this garden.

[Approach 1]

Sketch



$$P = S + S + S + S$$

$$P = 8.5m + 8.5m + 8.5m + 8.5m$$


$$P = 17.0m + 17.0m$$

$$P = 17.0m + 17.0m 34.0m$$

$$\therefore$$
 P = 34.0m OR 34m

Approach 11

Sketch



$$P = 4S$$

$$P = 4 \times 8.5 m$$

$$P = 4 \times \frac{85}{10} \text{ m}$$
 $\frac{85}{x4}$

$$P = \frac{340}{10} \text{ m}$$

P = 34m

EXAMPLE 4

Find the perimeter of a square whose area is $\frac{4}{25}$ m².

[Approach 1]

$$P = \sqrt{Area} \times 4$$

$$P = \sqrt{\frac{4}{25} m^2} \times 4$$

$$P = \frac{\sqrt{4}}{\sqrt{25}} m \times 4$$

$$P = \frac{2}{5}m \times 4$$

$$P = \frac{1 \text{ rem.}}{5} m$$

$$P = 1\frac{3}{5}m$$

Approach 11

$$S \times S = Area$$

$$S^2 = \frac{4}{25} m^2$$

$$\sqrt{S^2} = \sqrt{\frac{4}{25} \, \text{m}^2}$$

$$S = \frac{\sqrt{4}}{\sqrt{25}} m$$

$$P = 4 \times \frac{2}{5} m$$

$$S = \frac{2}{5} m$$

$$P = 4 S$$

$$P = \frac{8}{5} m$$

$$P = 1\frac{3}{5} m$$

$$S = \frac{2}{5}m$$

$$P = 4S$$

$$= 4 \times \frac{2}{5} \text{m}$$

$$P = \frac{2}{5}m$$

$$|_{P} = \frac{13}{5} m$$

Approach III

$$S \times S = Area$$

$$S^2 = \frac{4}{25} m^2$$

$$\sqrt{S^2} = \sqrt{\frac{4}{25} m^2}$$

$$S = \frac{\sqrt{4}}{\sqrt{25}} m$$

$$S = \frac{2}{5}m$$

$$P = S + S + S + S$$

$$P = \frac{2}{5} + \frac{2}{5} + \frac{2}{5} + \frac{2}{5} m$$

$$P = \frac{2 + 2 + 2 + 2}{1 \text{ rem. } 3^{5}} \text{ m}$$

$$P = \frac{8}{5} \text{ m}$$

$$P = \frac{8}{5}m$$

$$P = 1\frac{3}{5} m$$



TASK 38


Find the perimeter of a square whose side is;

1.	7cm	2.	10m

3.	3cm

7.	3 ½ cm		
	Find the perimeter of a square w	hose	e area is:
8.	9cm ²	9.	25cm ²
10.	64cm ²	11.	4/9 m ²
12.	2 46/49 dm²		

A square plot of land was divided into rectangular portions as shown below. 13.



Find the distance around the plot.

Finding the area of a square given the perimeter

Procedure / steps taken

State the formula for finding the area of a square using perimeter

as "Area = $\left(\frac{P}{4}\right)^2$ Or Area = $\frac{1}{16}P^2$ Or Area = $\frac{P^2}{16}$, where "P" is the perimeter, and "S" is the side.

- Substitute in the perimeter correctly.
- Compute accurately and the result obtained is the answer (area).

OR

Use the perimeter to find the length of each side.

Then use the side length to find the area.



EXAMPLE 1

Find the area of a square whose perimeter is 28cm.

Approach 1

Area =
$$\left(\frac{P}{4}\right)^2$$

Area = $\left(\frac{28cm}{4}\right)^2$
Area = 7cm x 7cm

Area =
$$49 \text{cm}^2$$

|Approach 11

$$4 S = 28cm$$
 $\frac{1}{4 S} = \frac{7}{28cm}$

S = 7cm

$$Area = S \times S$$

Area =
$$7cm \times 7cm$$

$$Area = 49cm^2$$

	-	777
Ap	proach	Ш

Area =
$$\frac{1}{16}P^2$$

Area =
$$\frac{1}{16}$$
 x 28cm x 28cm

Area =
$$\frac{1}{16} \times \frac{7}{28}$$
cm x $\frac{7}{28}$ cm

Area =
$$7cm^2 \times 7cm^2$$

49cm² Area



TASK 39

Find the area of a square whose perimeter is;

1.	8cm	2.	12cm
3.	20cm	4.	120dm
5.	40dm	6.	48m


Madrine ran around the figure below four times and covered a distance of 96m. Find the area of the figure below.
Use the figure below to answer the questions that follow. P If the circumference of the shaded part is 44cm. (a) Find the length QR.
Find the perimeter of the square PQRS.
Finding the value of the unknown side of the square given unknown values. Procedure / steps taken Equate the two given side of the given square NB it is advisable to begin with the side of the larger unknown. Open the brackets if any. Collect like terms correctly. Compute accurately and the value of the unknown is the answer.





Below is a square MUSA, use it to answer the questions that follow it.

Find the value of x.



Approach 1

Since a square has all the sides equal, we equate the two sides.

$$(5x - 7)$$
cm = $(2x + 2)$ cm
 $(5x - 7)$ em = $(2x + 2)$ em
-em
+

$$5x - 7 = 2x + 2$$

$$5x - 2x - 7 + 7 = 2 + 7$$

$$\frac{3x}{3} = \frac{3}{3}$$

$$\mathbf{x} = 3$$

|Approach 11 |

$$(5\mathbf{x} - 7)$$
cm = $(2\mathbf{x} + 2)$ cm

$$5x$$
cm - 7cm = $2x$ cm + 2cm

$$5x$$
cm - $2x$ cm - 7 cm + 7 cm = 2 cm + 7 cm

$$\frac{3\mathbf{x}_{cm}}{3} = \frac{9cm}{3}$$

$$\frac{\mathbf{x}_{cm}}{1} = \frac{3}{3}$$

$$\frac{\mathbf{x}_{cm}}{1} = \frac{3}{3}$$

$$\frac{\mathbf{x}_{cm}}{1} = \frac{3}{3}$$

$$\mathbf{x}_{cm} = 3$$

[Approach III]

$$(2x + 2)cm = (5x - 7)cm$$

$$\frac{(2x + 2)em}{-em} = \frac{(5x - 7)em}{-em}$$

$$2\mathbf{x} + 2 = 5\mathbf{x} - 7$$

$$2x - 5x + 2 - 2 = -7 - 2$$

$$-3x = -9$$

$$\frac{1}{-3} = \frac{3}{-3}$$

$$\frac{-3}{3} = \frac{-3}{-3}$$

Approach IV

$$(2x + 2)cm = (5x - 7)cm$$

$$(2x + 2)em = (5x - 7)em$$

$$2\mathbf{x} + 2 = 5\mathbf{x} - 7$$

$$2x - 2x + 2 + 7 = 5x - 2x$$

$$9 = 3x$$

$$\frac{3}{2} = \frac{3}{3}$$

b) Find the length of each side.

Approach 1

$$=$$
 (6 + 2)cm

[Approach 11]

Length of each side = (5x - 7)cm

$$= (5 \times 3 - 7) \text{cm}$$


$$= (15 - 7)cm$$



EXAMPLE 2

Below is a square, use it to answer questions that follow.

Find the value of x.



|Approach 1|

$$(3.5x - 26)$$
dm = $(0.4x + 5)$ dm

$$\frac{(3.5x - 26)dm}{-dm} = \frac{(0.4x + 5)dm}{-dm}$$

$$3.5x - 26 = 0.4x + 5$$

$$3.5\mathbf{x} - 26 = 0.4\mathbf{x} + 3$$

 $3.5\mathbf{x} - 0.4\mathbf{x} - 26 + 26 = 5 + 26$

$$3.5$$

$$3.1x = 31$$

$$\frac{3.1x}{3.1} = \frac{31}{3.1}$$

$$x = 31 \times 10$$

$$\mathbf{x} = \frac{10}{310}$$



[Approach II]

Side = Side

$$(3.5x - 26)dm = (0.4x + 5)dm$$

$$(3.5x - 26)dm = (0.4x + 5)dm$$

$$3.5x - 26 = 0.4x + 5$$

$$3.5\mathbf{x} - 0.4\mathbf{x} - 26 + 26 = 5 + 26$$

$$3.5\mathbf{x} - 0.4\mathbf{x} - 26 + 26 = 5 + 26$$

$$\frac{\cancel{3.1x}}{\cancel{3.1}} = \frac{31}{3.1}$$

$$\mathbf{x} = 31 \div 3.1$$

$$x = 31 \div \frac{31}{10}$$

[Approach III]

Side = Side

$$(3.5x - 26)$$
dm = $(0.4x + 5)$ dm

$$\frac{(3.5x - 26)dm}{dm} = \frac{(0.4x + 5)dm}{dm}$$

$$3.5x - 26 = 0.4x + 5$$

$$\frac{35}{10}$$
x - 26 = $\frac{4}{10}$ **x** + 5

$$\frac{35}{10}\mathbf{x} - \frac{4}{10}\mathbf{x} - 26 + 26 = 5 + 26$$

$$\frac{35\mathbf{x} - 4\mathbf{x}}{10} = 31$$

$$\frac{1}{10} \times \frac{31x}{10} = 31 \times 10$$

$$\frac{1}{31x} = \frac{10}{310}$$

$$\frac{1}{31x} = \frac{310}{31}$$

[Approach IV]

Side = Side

$$(3.5x - 26)$$
dm = $(0.4x + 5)$ dm

$$(3.5\mathbf{x} - 26)dm = (0.4\mathbf{x} + 5)dm$$

$$3.5x - 26 = 0.4x + 5$$

$$\frac{35}{10}$$
 x - 26 = $\frac{4}{10}$ **x** + 5

$$35x - 260 = 4x + 50$$

$$35\mathbf{x} - 4\mathbf{x} - 260 + 260 = 50 + 260$$

$$31\mathbf{x} = 310$$
 $\frac{31\mathbf{x}}{31} = \frac{310}{31}$







TASK 40


Find the value of the unknown letters and the actual length of each side in the following squares.


4.



(2x + 1)cm








THE RECTANGLE

A rectangle is a parallelogram with two pairs of equal and parallel opposite (facing) sides and four right angles.

Illustration of a rectangle



Properties of a rectangle in relation to the above figure

- ♦ | It has two pairs of parallel sides i.e AB | | DC and AD | | BC.
- $| \bullet | |$ The opposite (facing) sides are equal i.e AB = DC and AD = BC.
- | ullet | | It has 4 interior angles which are right angles (90°) each i.e $\, oldsymbol{\angle}\,$ A or $\,$,

$$\angle$$
 DAB = 90°, \angle B or \angle ABC = 90°, \angle C or \angle BCD = 90° and

$$\angle D$$
 or $\angle ADC = 90^{\circ}$ hence $\angle A = \angle B = \angle C = \angle D = 90^{\circ}$.

- ♦ | Its diagonals are equal i.e diagonal AC = diagonal BD.
- \bullet || The diagonal bisect each other i.e AO = OC and DO = OB.
- Its two interior angles on the same side (its two consecutive angles) are co-interior angles and therefore, supplementary (add up to 180°) or The two same-side interior angles supplement each other i.e \angle A + \angle D = 180° ,

$$\angle A + \angle B = 180^{\circ}, \angle B + \angle C = 180^{\circ} \text{ and } \angle C + \angle D = 180^{\circ}.$$

- \bullet || The opposite angles are equal i.e $\angle A = \angle C$ and $\angle D = \angle B$.
- Its diagonals divide each interior angle into different (unequal) angle unlike the square and the rhombus where the diagonal bisect the interior angles.
- * Its diagonals bisect each other at oblique angles (not at right angles) like for a square and a rhombus.
- \diamond Its centre angles (angles formed at the intersecting point of the two diagonals) add up to 360° .
 - It has two lines of folding symmetry.



Area of a rectangle.

Area of a rectangle is the area occupied by a rectangle in square units.

Procedure / steps taken

- State the formula for finding the area of a rectangle given the length and the width i.e $Area = L \times W$.
- Substitute in correctly.
- Compute accurately and the final value obtained is the answer (area).


OR

- Divide the rectangle into two right angled triangles by drawing one of its diagonals.
- State the formula for finding the area a rectangle using the two right angled \rightarrow triangles. i.e Area = $\underline{1}$ bh x 2.
- Substitute in correctly. ²
- Compute accurately and the final value obtained is the answer (area).



EXAMPLE 1

Find the area of the figure below.




|Approach 1

LxW Area

Area 10cm x 3cm

30cm² Area

Approach 11



Area =
$$\frac{1}{2}$$
 bh x 2


Area =
$$\frac{1}{2}$$
 x 10cm x 3cm x $\frac{1}{2}$

Area =
$$10cm \times 3cm$$

Area =
$$30cm^2$$



Find the area of the rectangle below.



Approach 1

Area $= L \times W$

Area $= 13.6 \text{m} \times 10 \text{m}$

13.6m x 10m Area

Area 136m²

Approach 11

 $Area = L \times W$

Area 13.6m x 10m


13.6m x 10m Area

Area 136m x -10m

10

Area 136m²

Approach III




Area =
$$\frac{1}{2}$$
 bh x 2

Area =
$$\frac{1}{2}$$
 x 13.6m x 10m x $\frac{1}{2}$

Area 13.6m x 10m

Area 136m²

Approach IV



Area =
$$\frac{1}{2}$$
 x b x h x 2

Area =
$$\frac{1}{2}$$
 x 13.6m x 10m x $\frac{1}{2}$


Area =
$$13.6m \times 10m$$

Area =
$$\frac{136}{10}$$
m x $\frac{1}{10}$ m

136m² Area



Find the area of the given figure below.



[Approach 1]

Area =
$$L \times W$$


Area =
$$4\frac{1}{2}$$
dm x $2\frac{1}{4}$ dm

Area =
$$\frac{9}{2}$$
dm x $\frac{9}{4}$ dm

Area =
$$\frac{81}{8}$$
 dm²

Area =
$$10\frac{1}{8}$$
dm²

|Approach 11



Area =
$$\frac{1}{2}$$
 x b x h x 2

Area =
$$\frac{1}{2}$$
 x $4\frac{1}{2}$ dm x $2\frac{1}{4}$ dm x 2


Area =
$$\frac{1}{2}$$
 x $\frac{9}{2}$ dm x $\frac{9}{4}$ dm x $\frac{1}{2}$

Area =
$$\frac{81}{8}$$
 dm²


Area =
$$10\frac{1}{8}$$
dm²


TASK 41


Find the area of the given figures;













Finding the unknown side of a rectangle given the area.

Procedure / steps taken

- State the formular for finding area of a rectangle i.e Area = L x W.
- You may interchange the formular from $Area = L \times W \text{ to } L \times W = Area.$
- Substitute in correctly.
- Compute accurately and the value of the unknown is the answer.


OR

→ State the formular for finding the unknown i.e if it is the length, you state Length (L) = $\frac{A}{W}$ and if it is the width, you state Width (W) = $\frac{A}{L}$.



EXAMPLE 1

Find the length of the rectangle below if its area is 120cm².



|Approach 1|

Area = $L \times W$

 $L \times W = Area$

 $L \times 10cm = 120cm^2$

$$\frac{1}{L \times \frac{10em}{10em}} = \frac{120 \times \frac{1}{em}}{10em}$$

L = 12cm

Approach 11

Length <u>Area</u>


Length 120cm² 10cm

120cm x em Length = 10cm

Length = 12cm



The area of the rectangular garden below is 756m². Find its width if its length is 100m.



Approach 1

$$L \times W = Area$$

$$100m x w = 756m^2$$

$$\frac{\frac{1}{100m} \times w}{\frac{1}{100m}} = \frac{756m \times \frac{1}{m}}{100m}$$

$$w = 7.56m$$

Approach 11

$$Width = \frac{756m^2}{100m}$$


Width =
$$\frac{756m \times 100m}{100m}$$

Width =
$$7.56m$$



EXAMPLE 3

The area of the figure below is $28\frac{1}{8}$ dm². Find the value of y.



[Approach 1]

Area =
$$L \times W$$

$$L \times W = Area$$

$$6\frac{1}{4}$$
dm x y = $28\frac{1}{8}$ dm²

$$\frac{25 \text{dm}}{2}$$
 x y = $\frac{225 \text{dm}^2}{8}$
8 x $\frac{25 \text{dm}}{4}$ x y = $\frac{225 \text{dm}^2}{8}$ x $\frac{8}{4}$
50 dm x y = $\frac{225 \text{dm}^2}{225 \text{dm}^2}$

10

$$y = 4\frac{1}{2}dm$$

Approach 11

$$L \times W = Area$$

$$6\tfrac{1}{4}\text{dm} \ x \ y = 28\tfrac{1}{8}\text{dm}^2$$

$$\frac{25dm}{4}$$
 x y = $\frac{225dm^2}{8}$

25dm x y x 8 = 225dm² x 4
$$\frac{61}{4}$$
dm

$$y = \frac{9dm^2}{2dm}$$

$$y = 4\frac{1}{2}dm$$

Approach III

$$L \times W = Area$$

$$6\frac{1}{4}$$
dm x y = $28\frac{1}{8}$ dm²

$$\frac{6\frac{1}{4}\text{dm} \times y}{6\frac{1}{4}\text{dm}} = \frac{28\frac{1}{8}\text{dm}}{6\frac{1}{4}\text{dm}} \times \text{dm}$$

$$y = 28\frac{1}{8}dm \div 6\frac{1}{4}$$

$$y = \frac{225}{8} dm + \frac{25}{4}$$

$$y = \frac{225}{2} dm \times \frac{4}{25}$$

$$y = 4\frac{1}{2}dm$$

Approach IV

$$y = \frac{28\frac{1}{8}dm^2}{6\frac{1}{4}dm}$$

$$y = \frac{28\frac{1}{8}dm \ x_{-}dm}{6\frac{1}{4}dm}$$

$$y = 28\frac{1}{8}dm \div 6\frac{1}{4}dm$$

$$y = \frac{225}{8} dm \div \frac{25}{4}$$

$$y = \frac{\frac{9}{225}}{\frac{8}{2}} dm \times \frac{\frac{1}{4}}{\frac{25}{1}}$$


$$y = \frac{\cancel{9}}{\cancel{2}} dm$$

$$y = 4\frac{1}{2}dm$$





The area of the figure below is 98cm².



Find the value of y. |a)

Area =
$$L \times W$$

$$2kcm x kcm = 98cm^2$$

$$\frac{\stackrel{1}{\cancel{2}kcm} \times kcm}{\stackrel{2}{\cancel{2}}} = \frac{\stackrel{49}{\cancel{9}8cm} \times cm}{\stackrel{2}{\cancel{2}}}$$

$$\frac{k^2 cm^2}{cm^2} = \frac{49 cm^2}{cm^2}$$

$$k^2 = 49$$

$$\sqrt{k^2} = \sqrt{49}$$

$$k = 7$$

- Find the actual; b)
- i) Length

Actual length

- 2k cm
- = (2 x k)cm
- $= (2 \times 7)$ cm
- = 14cm

ii)

Width

Actual Width


- k cm
- = 7cm





TASK 42

Work out the following;

The area of the rectangle ISMA below is 24cm². Find its length. 1.










The area of a rectangle is 12cm². If its width is 3cm, find its length. 3.

Given that the area of the rectangle below is 2542cm². Find the length of 4. the rectangle.



Madrine measured the area of the rectangular plot of land below three 5. times and got the same results each time. If he recorded a total area of 216m² for the three times, find the length CD.





8.	The area of the figure below is 32cm². P y cm S 2y cm R
a)	find the value of y .
b)	Express the length QR as a fraction of the length RS.
9.	A rectangle has a length of 5n metre and a width of n metres. If it has an area of 45m². Find the value of n.

Perimeter of the rectangle.

Perimeter of a rectangle is the distance around a given rectangle.



Finding the perimeter of a rectangle given the length and the width.

Procedure / steps taken

State the formular for finding the perimeter of a rectangle given the length and the width i.e P = L + W + L + W OR P = 2(L + W) OR


P = Sum of all sides.

- Substitute in correctly.
- Compute accurately and the final value is the answer (perimeter).



EXAMPLE

Find the perimeter of the rectangle below.



|Approach 1

L + W + L + W

9cm + 3cm + 9cm + 3cm

12cm + 12cm

24cm

[Approach 11]

$$P = 2L + 2W$$

$$P = (2 x L) + (2 x W)$$

$$P = (2 \times 9cm) + (2 \times 3cm)$$

$$P = 18cm + 6cm$$

$$P = 24cm$$

[Approach III]

$$P = 2(L + W)$$

$$P = 2 (9cm + 3cm)$$


$$P = 2 (12cm)$$

$$P = 2 \times 12cm$$

$$P = 24cm$$

Approach IV

- Sum of all sides
- 9cm + 3cm + 9cm + 3cm
- 12cm + 12cm
- 24cm





Finding the unknown letters and sides of a rectangle given the perimeter.

Procedure / steps taken

State the formular for finding the perimeter of a rectangle i.e

$$P = L + W + L + W OR P = 2L + 2W OR P = 2(L + W)$$

OR P = Sum of all sides. You may interchange the formular

i.e from
$$P = L + W + L + W$$
 to $L + W + L + W = P$, etc.


- Substitute in correctly.
- Compute accurately to obtain the final value or answer.



EXAMPLE 1

The perimeter of the rectangle below is 34cm. If its width is 5cm.

Find its length.



Approach 1

$$P = L + W + L + W$$

$$L + W + L + W = Area$$

$$L + L + 5cm + 5cm = 34cm$$

$$2L + 10cm = 34cm$$

$$2L + 10cm - 10cm = 34cm - 10cm = 2L + 10cm - 10cm = 34cm - 10cm$$

$$2L = 24cm$$

$$\begin{array}{ccc}
\frac{1}{2L} & = & \frac{12}{24cm} \\
2 & & 2
\end{array}$$

$$L = 12cm$$

Approach 11

$$P = 2L + 2W$$

$$2L + 2W = P$$

$$2L + (2 \times 5cm) = 34cm$$

$$2L + 10cm = 34cm$$

$$2L + 10cm - 10cm = 34cm - 10cm$$

$$2L = 24cm$$

$$L = 12cm$$

Approach III

$$2(L + W) = P$$

$$(2 \times L) + (2 \times 5cm) = 34cm$$
 $(2 \times L) + (2 \times 5cm) = 34cm$
 $(2 \times L) + 10cm = 34cm$

$$2L + 10cm - 10cm = 34cm - 10cm$$


 $2L = 24cm$

$$\begin{array}{rcl}
1 & & 12 \\
\underline{2L} & = & \underline{24cm} \\
2 & & 2 \\
1 & & 1
\end{array}$$

$$L = 12cm$$

EXAMPLE 2

Given that the perimeter of the rectangle below is 46cm, use it to answer the questions about it. (a) Find the value of x.



|Approach 1|

$$L + W + L + W = P$$

$$(3x + 6)$$
cm + $(2x + 2)$ cm + $(3x + 6)$ cm + $(2x + 2)$ cm = 46cm

$$\frac{(3x + 6 + 2x + 2 + 3x + 6 + 2x + 2) - cm}{-cm} = \frac{46cm}{-cm}$$

$$3x + 6 + 2x + 2 + 3x + 6 + 2x + 2 = 46$$

$$3x + 2x + 3x + 2x + 6 + 2 + 6 + 2 = 46$$

$$10x + 16 = 46$$

$$10x + 16 - 16 = 46 - 16$$

$$\frac{\cancel{10}x}{\cancel{10}} = \cancel{30}$$

$$x = 3$$



Approach II

$$2L + 2W = P$$

$$2(3x + 6)cm + 2(2x + 2)cm = 46cm$$

$$2(3x + 6)cm + 2(2x + 2)cm = 46cm$$

$$\frac{(6x + 12 + 4x + 4)cm}{-em} = \frac{46cm}{-em}$$

$$6x + 4x + 12 + 4 = 46$$

$$10x + 16 = 46$$

$$10x + 16 = 46 - 16$$

$$10x = 30$$

$$\frac{1}{10}x = 30$$

$$\frac{1}{10}$$

Approach III

$$2 (L + W) = P$$

$$2(3x + 6 + 2x + 2)cm = 46cm$$

$$\frac{2(3x + 6 + 2x + 2)em}{-em} = \frac{46em}{-em}$$

$$2(3x + 2x + 6 + 2) = 46$$

$$x^{2}$$

$$2(5x + 8) = 46$$

$$10x + 16 = 46$$

$$10x + 16 - 16 = 46 - 16$$

$$10x = 30$$

$$\frac{1}{10x} = 30$$

$$\frac{1}{10} = 30$$

$$x = 3$$

b) Find the value of y.

Width = Width

$$2y = (2x + 2)cm
2y = (2 x 3 + 2)cm
2y = (6 + 2)cm
2y = 8cm
y = 4cm$$

x = 3

(c) Find the actual length.

Actual length =
$$(3x + 6)$$
cm = $(9 + 6)$ cm
= $(3 \times 3 + 6)$ cm = 15cm

TASK 44

JUMA below is a rectangle whose perimeter is 16m. Work out the following. (a) Find the value of \mathbf{x} .

b)	Find the actual length.	c)	Find the actual width.
a)	Use the rectangle RAKE below who questions about it. (2n + 6)cm (4x + 6)cm (3x + 6)cm Find the value of x.		
b)	Find the length RA.	c)	Find the actual width.
d)	Find the value of n .		

e)	Express (RA + KA) as a;
(i)	fraction of the perimeter of the figure RAKE.
(ii)	as a percentage of the perimeter of the RAKE.
(iii)	as a ratio of the perimeter of RAKE.
f)	Express the value of x as a fraction of the value of n .
3. a)	The perimeter of the rectangular garden below is 14m. Find the value of n. 2n - 2 metres 3n - 1 metres

b)	Find the area of the above figure in square centimetres.
a)	Use the rectangular plot of land below to answer question below. (0.5k - 20)m (0.4k + 5)m If the perimeter of the figure above is 60m, find the value of k and the length of the rectangular garden respectively.
5. (i)	The length and the width of a rectangle are $4x + 6cm$ and $3x + 2cm$ respectively. If the sum of the length and the width is $50cm$. Find the; Length of the rectangle

width of the rectangle

iii)

perimeter of a rectangle

twice the area of the rectangle. iv)



Finding the perimeter of a rectangle given the area and one of the sides.

Procedure / steps taken

- Find the unknown dimension using the area.
- Since the length and the width are now known, state the formular for finding the perimeter of a rectangle using the length and the width

i.e
$$P = L + W + L + W OR P = 2L + 2W OR P = 2(L + W)$$

OR P = Sum of all sides.


- Substitute in correctly.
- Compute accurately and the final result is the answer (perimeter).



EXAMPLE 1

Find the perimeter of the rectangle below whose area is 40cm and Approach 1 width 5cm.

8cm



P = 26cm

Other correct approachs are invited

P = 8cm + 5cm + 8cm + 5cm

P = L + W + L + W

P = 13cm + 13cm

Approach 11

$$P = 2W + 2Area$$

$$P = (2 \times 5cm) + (2 \times 40cm^2)$$

$$P = 10cm + 16cm$$

$$P = 26cm$$



EXAMPLE 2

The area of the figure below is 1450m². Find its perimeter if its length is 100m.

Approach 1

$$I x w = Area$$

$$100m x w = 1450m^2$$

$$\frac{\frac{1}{100m} \times w}{\frac{100m}{1}} = \frac{1450m \times m}{100m}$$

$$w = \frac{145m}{100}$$

$$w = 14.5m$$

$$P = I + W + I + W$$

$$P = 100m + 14.5m + 100m + 14.5m$$

Approach II


$$P = 2I + 2Area$$

$$P = (2 \times 100 \text{m}) + (2 \times 1450 \text{m}^2)$$

$$P = 200m + \frac{2900m \times m}{100m}$$

$$P = 200m + 29m = 229m$$

$$P = 229m$$



Find the perimeter of the rectangle RUTH below whose area is 52cm².




Finding the area of a rectangle given the perimeter and one of the sides.

Procedure / steps taken

- **→** State the formula for finding the perimeter to find the unknown side i.e P = I + W + I + W OR P = 2I + 2W OR P = 2(I + W)OR P = Sum of all sides.
- After getting the unknown side (length or width), we apply the formular for \rightarrow finding the area of a rectangle i.e Area = $1 \times W$ OR Area = $1 \times W$ Substitute in correctly.
- **-**Compute accurately and obtain the answer.
- **→** State the formula for finding the area of a rectangle using the area directly i.e Area = $\frac{I(p-2I)}{2}$. given the length OR Area = $\frac{W(P-2W)}{2}$ given the width.
- \rightarrow Substitute in correctly.

Emp EXAMPLE 1 nd obtain the answer.

Find the area of the rectangle below if its perimeter is 32cm.



$$I + w + I + w = 32cm$$

$$I + I + 4cm + 4cm = 32cm$$

$$2l + 8cm = 32cm$$

$$2I = 24cm$$

$$\frac{21}{21} = \frac{24cm}{2}$$

$$I = 12cm$$

But Area =
$$I \times w$$

Area =
$$48 \text{cm}^2$$

Approach 11

Area =
$$\frac{\text{w(P - 2w)}}{2}$$


$$= 4cm (32cm - 8cm)$$

4cm x 12cm

 $= 48cm^{2}$


TASK 46 S

Find the area of the rectangle below if its perimeter is 24cm².



Find the area of a rectangle whose 2. perimeter is 3.2m² and length is 1.2m.

Calculate the area of the rectangle below if its perimeter is 52dm² and 3. width 6dm.



Finding the value of the unknown.

Procedure / steps taken

- Equate two opposite equal sides whose value are given
 - i.e Length 1 = Length 2.
- Substitute in correctly.
- Compute accurately and the value of the unknown is the answer.




NB: When the units are outside the brackets, then they belong to all the terms inside the brackets and the unknown should have no units. But if the units are inside the brackets on the known value, then the unknown should have the units.



EXAMPLE 1

Use the rectangle below to answer the questions that follow.



Find the value of m.

|Approach 1

Length 1 = Length 2.

$$(5y - 2)cm = (3y + 2)cm$$

 $\frac{(5y - 2)cm}{-cm} = \frac{(3y + 2)cm}{-cm}$

$$5y - 2 = 3y + 2$$

$$5y - 3y - 2 + 2 = 2 + 2$$

$$2y = 4$$

$$\frac{1}{2}y = \frac{2}{4}$$

$$\frac{1}{2}z = \frac{2}{4}$$

Approach 1

Length 1 = Length 2.

$$(5y - 2)cm = (3y + 2)cm$$

$$5y cm - 2cm = 3y cm + 2cm$$

$$2y cm = 4cm$$

$$\frac{2y cm}{2} = \frac{4cm}{2}$$

$$\frac{1}{y \cdot em} = \frac{1}{2em}$$

[Approach III]

Length 1 = Length 2.

$$(3y + 2)cm = (5y - 2)cm$$

$$\frac{(3y + 2)em}{-em} = \frac{(5y - 2)em}{-em}$$

$$3y + 2 = 5y - 2
3y - 5y + 2 - 2 = -2 - 2$$

$$\frac{1}{-2y} = \frac{2}{-2}
-2 - 2$$

Approach IV

Length 1 = Length 2.

$$(3y + 2)cm = (5y - 2)cm$$

$$\frac{(3y + 2)cm}{cm} = \frac{(5y - 2)cm}{cm}$$

$$3y + 2 = 5y - 2$$

$$3y + 2 = 5y - 2$$

$$3y - 3y + 2 + 2 = 5y - 3y$$
 2 = y

$$\frac{2}{4} = \frac{1}{2y}$$

$$\frac{1}{2} = \frac{1}{2}$$

Find the actual length. b)

|Approach 1

Actual length = (5y - 2)cm = (5 x y - 2) cm $= (5 \times 2 - 2) \text{cm}$ = (10 - 2)cm= 8cm

Approach 11

Actual length = (3y + 2)cm $= (3 \times y + 2) \text{cm}$ $= (3 \times 2 + 2) \text{cm}$ = (6 + 2)cm= 8cm

(c) Find the actual width.


Actual width =
$$(y + 2)cm$$

= $(2 + 2)cm$
= $4cm$



EXAMPLE 2

Use the rectangle below to find the value of t.



|Approach 1|

Length 1 = Length 2.

$$(5t - 2cm) = (3t + 2cm)$$

$$5t - 2cm = 3t + 2cm$$

5t - 3t - 2cm + 2cm = 2cm + 2cm

$$\frac{1}{2t} = \frac{2}{4cm}$$

t = 2cm

Approach 11

Length 1 = Length 2.

$$(3t + 2cm) = (5t - 2cm)$$

$$3t + 2cm = 5t - 2cm$$

$$3t - 5t + 2cm - 2cm = -2cm - 2cm$$

$$-2t = -4cm$$

$$\frac{\frac{1}{2t}}{\frac{2}{1}} = \frac{\frac{2}{2cm}}{\frac{2}{1}}$$

$$t = 2cm$$

Approach III

Length 1 = Length 2.

$$(3t + 2cm) = (5t - 2cm)$$

$$3t + 2cm = 5t - 2cm$$

$$3t - 3t + 2cm + 2cm = 5t - 3t$$

$$\frac{\cancel{4}cm}{\cancel{2}} = \frac{\cancel{2}t}{\cancel{2}}$$

$$2cm = t$$