EXCREMON



Excretion

is the removal of waste products such as *carbon dioxide*, *urea* produced as a result of metabolic processes in an organism

Secretion: is the active or passive flow of substances from living cells. Such substances as enzymes, hormones, mucus etc.

Note

Egestion should not be confused with excretion because most of the contents of the faeces, apart from the bile pigments, have not taken part in reactions in the cells of the body.

SIGNIFICANCE OF EXCRETION

- ✓ ➤ Eliminates waste products formed during body metabolism
- ✓➤ Removal of waste products which would be toxic to body cells
- ✓➤ It allows for the removal of unwanted materials taken into the body along with useful nutrients
- ✓➤ It involves the removal of materials synthesized in excess of the current body demands
- ✓➤ Continuous removal of waste products allows for maintenance of a constant internal environment of the body.

NOTE:

Excretory products arise in a number of ways and these include, from:-

- ✓ Unwanted substances absorbed with food
- ✓ Absorption of excess nutrients
- ✓ Osmoregulatory processes
- ✓ Breakdown of protoplasmic constituents
- ✓ From body metabolism

Excretion in Animals

Animals like human beings have specialized organs such as the *kidneys*, *lungs*, *liver* and *skin* for excretion.

Waste products include *carbon dioxide*, *water*, *mineral salts* and *nitrogenous wastes*.

These excretory organs ensure that **ions**, **water** and **temperature** are regulated in the body.

Excretory organs and their waste products

Excretory organ	Excretory products
Skin	Urea, lactic acid, excess salts and excess water in form of sweat
Kidney	Excess salts, excess water and nitrogenous wastes in fprm of urine
Lungs	Carbon dioxide and excess water in form of water vapor
Liver	Bile pigments
	Nitrogenous compounds such as ammonia, urea, uric acid and trimethylamine oxide

ROLE OF LUNGS IN EXCRETION

Removal of carbon dioxide

Carbon dioxide produced during metabolism diffuses along its concentration gradient from the blood to the alveolar air at the lungs, this is expelled out of the body during exhalation.

NOTE:

Carbon dioxide is a by-product of respiration.

If it accumulates in the cell it changes the pH of the cell.

It then interferes with the functioning of certain enzymes.

If this situation is not corrected, the affected cells eventually die.

Getting rid of excessive heat

When cold air from the atmosphere enters the respiratory system it is warmed as it absorbs heat from the blood in blood vessels by **conduction**, the warm air is then exhaled, resulting in a significant source of **heat loss**.

Removal of water

In coming dry air from the environment dissolves in the mucus, this is warmed until it forms water vapor and also water vapor formed during metabolism diffuses into alveolar sac and expelled during exhalation.


The skin

The skin is a continuous protective layer over the body. It is the largest organ of the body

Functions of the skin


- Protection of the body from physical damage.
- Protection against entry of microorganisms such as bacterial and viral infections.
- Prevents loss of water from the body.
- It acts as a **sense organ** sensitive to pain, **touch** and **heat**. This helps the organism to be aware of its environment.
- Regulates body temperature.
- It synthesizes vitamin D in presence of sunlight.
- It excretes salts, excess water, lactic acid, carbon dioxide and traces of urea.
- Stores fats in the adipose tissue.
- Melanin pigment blocks ultraviolet rays from penetrating into the body tissues

HUMAN SKIN STRUCTURE




ASSIGNMENT

- 1. Make a well labeled drawing of the skin
- 2. Describe each part of the skin
- 3. Give the function of each part of the skin.



THE KIDNEY AND THE EXCRETORY SYSTEM

Structure of urinary system



Parts and functions of the urinary system

- 1) Aorta: It carries oxygenated blood with all food nutrients to the kidney.
- 2) Renal artery: This arises from dorsal aorta. It brings blood containing excretory products to the kidney.
- 3) Renal vein: It carries filtered blood from the kidney to the posterior vena cava.
- 4) Ureter: These are two narrow tubes arising from hilum of each kidney. They connect the kidneys to the urinary bladder. They transport urine to the urinary bladder.
- 5) Urinary bladder: It is a thick walled elastic sac-like structure which stores urine.
- 6) Sphincter muscle: These muscles are elastic thus can contract and relax to control urine flow.
- 7) Urethra: It is a passage for urine to the outside of the body


Sample question

The figure below shows the urinary system of a mammal. Study it carefully and answer the questions that follow.

a) Name the parts labelled A to H

- (04 marks)
- State the function of the part labelled
- (02 marks)


- i. **E**_
- ii. F
- iii. **G**_____
- iv. H



- c) State two differences in the composition of blood flowing in C and D
- (02 marks)
- d) Briefly explain why the concentration of urea in **D** is less than that in **C**.
- (02 marks)

The Kidney

Structure of the kidney



The kidneys are solid bean-shaped structures and they occur in pairs in mammals.

They are **reddish-brown** in color enclosed in a transparent membrane and attached to the back of the abdominal cavity.

The kidney tissue consists of many capillaries and renal tubules connected together by connective tissue.

The kidney has **two** major parts.

- 1. The cortex which is a dark outer part. It consists of the Bowman's capsule which is responsible for ultra-filtration of blood passing across it.
- 2. The medulla, which is a lighter inner, part. It is made up of many coneshaped portions called **pyramids**. The **pelvis** is the area where the ureter 6/2 leaves the kidney. @ PETER L OKION 778001502/ 758795415 17

The kidney performs three major functions in the body i.e.


- 1. It carries out excretion.
- 2. It carries out the function of **osmoregulation**.
- 3. It contains endocrine glands, which secrete hormones such as erythropoietin, renin and calcitriol

The kidney is made up of several microscopic structures (functional units) called **nephrons** where the actual excretion and osmoregulation takes place.

The Nephron

This is the **functional unit** in the kidney.


It carries out the function of excretion and osmoregulation in the kidney.



Sample question

The diagram represents part of the mammalian excretory organ.

- a) Name the parts labelled **A** to **D**
- b) State the name of the major process, which occurs in the region **E**, and **F**.
- c) Explain how the process in region **E** occurs.
- d) Suggest why some desert mammals may have very long loops of Henle.



Parts of the Nephron

1. Bowman's capsule:

is a cup-shaped structure, It contains a dense-network of highly coiled capillaries that form a knot called glomerulus.

The glomerulus is formed from the wider arteriole of renal artery called afferent arteriole.

It is located in the **cortex**.

Functions:

contains glomerular capillaries involved in ultra-filtration.

Filters small molecules in blood such as urea, glucose, amino acids, and mineral ions through its basement membrane.

Adaptations of the Bowman's capsule to collect the filtrate

- Large cup-shaped structure to provide more space for collecting more filtrate.
- Is cup shaped to provide surface area to enclose glomerular capillaries which carry out ultra-filtration
- Porous basement membrane to allow filtration of materials.

2. Glomeruli;

these are numerous capillaries found in the Bowman's capsule formed due to branching of the afferent arteriole

Adaptations of the glomerulus to ultra-filtration

- Afferent arteriole wider than the efferent arteriole creating a high blood pressure that forces small molecules out of the glomerulus.
- Many blood capillaries to provide a large surface area for ultra-filtration.
- Porous membrane to can allow small sized molecules to pass through.

3. Proximal convoluted tubule:

is a highly coiled structure leading from the Bowman's capsule.

Function:

It is a site where **re-absorption** of useful materials such as **glucose** and some **small amino acids** and **water** from glomerular filtrate back to blood takes place.

Adaptations of proximal convoluted tubule to its function

- Long providing a large surface area over which absorption of materials can occur
- Tubule one cell thick to reduce the diffusion distance for faster diffusion of materials
- Cells in the walls have microvilli to increase the surface area over which absorption can occur
- Surrounded by numerous blood capillaries for rapid transportation of absorbed materials
- Cells in the walls contain large quantities of mitochondria to produce a large quantity of ATP for rapid active transport of materials.

4. Loop of Henle:

is a **U shaped tubule**, made up of a **descending** (going down) limb and an **ascending** (going up) limb.

Function:

- ➤ Re-absorption of water.
- ➤ Re-absorption of mineral ions.

5. Distal convoluted tubule:

this is the **second** coiled tube found after the ascending limb of loop of Henle.

Function:

For re-absorption of ions like chloride ions, sodium ions together with water.

6. Collecting duct:

a tubule with several branches where distal convoluted tubule extends from.

Functions:

- > Carries urine from the distal tubule to the pelvis of kidney.
- ➤ Allows reabsorption of water thus conserving it.

Urine formation

The process of urine formation takes place in the **nephron**.

It occurs in two phases.

1. Ultra-filtration:

which is filtration of small molecules through tiny pores at high pressures.

2. Selective re-absorption:

is the process of taking back into blood of some of the essential substances still required by the body from the glomerular filtrate.

Ultra filtration

✓ Much blood comes from the afferent arteriole into the glomerulus than that which leaves through efferent arteriole because the afferent arteriole has a wider lumen than the efferent arteriole.

✓ High pressure is generated in the blood capillaries of the glomerulus forcing small molecules such as glucose, urea, water, salts and vitamins to filter out of the blood capillaries to form the glomerular filtrate.

✓ **Proteins** and **blood cells** do not filter out because they have **bigger** molecules, which cannot pass through the tiny pores in the walls of the glomerulus.

✓ The filtrate formed moves from the Bowman's capsule through the capsular space and pores in basement membrane to proximal convoluted tubule where **selective reabsorption** starts to occur.


The pressure required for ultra-filtration is derive from; pressure due to pumping action of heart, pressure developed due to difference in size of afferent arteriole and efferent arteriole, hydrostatic pressure of blood.

NOTE:

Ultrafiltration is a passive, mechanical process.

• Selection of substances passing through from the blood into the filtrate within the nephron is achieved purely on the **basis of size**.

Diagrammatic illustration of ultrafiltration



Blood entering through the afferent vessel contains proteins, red blood cells, white blood cells, urea, water, salts, amino acids and vitamins.

Efferent arteriole

Afferent arteriole

Glomerulus

Capsular space

Bowman's capsule

@ PETER L OKION 778001502/ 758795415 mal convoluted tubule

Selective Reabsorption

In the proximal convoluted tubule:

✓ Most of the **food materi**als are re-absorbed into the blood capillaries first by **diffusion** like **sodium ions**, **chloride ions** and then by **active transport** e.g. all the **glucose**, **amino acids**, **vitamins**, **and some mineral ions**, some **water** is re absorbed by **osmosis**

In the loop of Henle:

✓ As the filtrate flows down the descending limb, water is re absorbed back into the capillaries by osmosis leading to increased concentration of the filtrate down the descending limb.

Highest concentration of the filtrate is at tip of the loop.

✓ As the filtrate ascends, first in the thin section, sodium ions and chloride ions are reabsorbed by diffusion and in the thick section of the ascending limb of loop of Henle, salts like Na+ and K+ are reabsorbed by active transport.

This leads to a decrease in concentration of the glomerular filtrate in the ascending limb.

In the distal convoluted tubule:

✓ Selective re-absorption of salts by diffusion occurs.

✓ Substances such as Urea are actively transported (secreted) from blood into the filtrate.

✓ Water is reabsorbed only due to stimulation by **Anti diuretic hormone** (**ADH**)

In the collecting duct:

✓ Water is lost to the highly concentrated medulla tissues by osmosis from which later the remaining filtrate is urine which goes via the ureter and temporarily stored in the urinary bladder.

✓ Water is reabsorbed only due to stimulation by Anti diuretic hormone (ADH)

Comparison of substances in blood and urine

Nitrogenous waste	In Blood	In Urine
Proteins	7-9	0
Glucose	0.1	0
Urea	0.03	2.0
Chloride ions	0.37	0.6
Sodium ions	0.32	0.35
Water	93	95

Proteins

There are proteins in blood and there is none in urine;

Because proteins are not filtered out of the blood vessels into the glomerulus due to the large size of their molecules.

The presence of proteins in urine, is a condition known as **Proteinuria**, can indicate damage to the kidneys' filtering units (glomeruli). Because normally, proteins are not found in urine in significant amounts because the kidneys filter them out of blood

Glucose

There is glucose in blood and no glucose in urine

Because glucose is reabsorbed from the glomerular filtrate back into the blood At the proximal convoluted tubule.


High levels of urine glucose (**Glycosuria**) means your blood glucose is high a conditions known as **Diabetes** *Melitus*

✓ **Urea is more in urine** than in blood because it is filtered out of blood and it is **not reabsorbed** back in the blood.

✓ Water is more in urine than in blood because it is used to dissolve urea.

However, the relative amounts of water in urine and in blood varies depending on the amount of water in the body, amount of solutes in the body, temperature and body activity.

✓ Salts like chlorides and sodium ions are more in urine than in blood. This is because they are in excess and they are not reabsorbed back into the blood. Because of this they tend to concentrate in urine.



Kidney failure (renal failure)

A condition in which kidneys lose the ability to remove waste and balance fluids

Causes

Diabetes and high blood pressure

Liver failure

Blood pressure medications

Infections

Use of aspirin, ibuprofen or related drugs

Blood or fluid loss

Heart attack


Signs and Symptoms

Fatigue

Nausea and vomiting

Swelling (edema), particularly around your hands or ankles

Changes in how often you go to the bathroom and brain fog







Treatment

- 1. Dialysis: Is a treatment to clean your blood when your kidneys are not able to. It helps your body remove waste and extra fluids in blood
- 2. Kidney transplant, is a surgical procedure to place a healthy kidney from a donor into a person whose kidneys no longer function properly. Its treatment for chronic kidney failure.



Need for proper disposal of human wastes e.g. urine

- ✓ To avoid polluting water sources
- ✓ Minimize the chances of spreading diseases
- ✓ Maximize the rate of decomposition
- ✓ Avoid the negative implications of someone else finding it



- 1. Brainstorm on the need for tests to determine the presence of Glucose and Protein in urine and explain the significance of the tests
- 2. Identify alternative ways in which urine can be useful.
- 3. Discus why a build-up of sweat can become smelly and the importance of hygiene

Uses of urine

- 1. Urine contains nitrogen, phosphorus and potassium, which are essential nutrients for plant growth. It can be used as a natural fertilizer.
- 2. Adding urine to compost can enhance the decomposition process and increase the nutrient content of the compost.
- 3. In extreme survival situations, urine can be used for first aid, such as cleaning wounds, though this practice is not widely recommended due to potential risks.
- 4. Urine can be processed to extract chemicals like urea and ammonia, which have various industrial applications.
- 5. Pregnancy tests because urine contains human chorionic gonadotropin (hCG)

BIOLOGY IS LIFE SLIDES PREPARED BY TR. OKION L PETER